



Spring Clips

Material: Spring Steel - ASTM-A684

Standard Plating: Cadmium-Yellow Chromate AMS QQ-P-416 CLASS 2 TYPE II

Other Finishes Available: www.atlee.com/wp-content/uploads/docs/finishes.pdf




Figure 1. Figure 2.

.375 Diameter Spring Clips – Spring Steel

Part #	Nom Dia	Min Dia	Max Dia	Holes	U +/- .010	A +/- .020	B +/- .010	C +/- .020	W +/- .003	V +/- .003	S +/- .010	X +/- .020	X +/- .020	T +/- .005	T1 +/- .005	Slots	Figure
100-200-06-000	0.375	0.34	0.395	3	1.125	0.46	0.41	0.26	0.018	0.103	0.188			0.75	0.375	0	1
100-200-06-001	0.375	0.34	0.395	3	1.125	0.46	0.41	0.26	0.018	0.093	0.188			0.75	0.375	0	1
100-200-06-002	0.375	0.34	0.395	3	1.5	0.46	0.41	0.26	0.018	0.103	0.188			1.125	0.562	0	1
100-200-06-003	0.375	0.34	0.395	2	0.75	0.46	0.41	0.26	0.018	0.103	0.188			0.375		0	1
100-200-06-004	0.375	0.34	0.395	3	1.125	0.46	0.4	0.26	0.012	0.103	0.188	0.34	0.38	0.75	0.375	2	2
100-200-06-005	0.375	0.34	0.395	1	0.5	0.46	0.41	0.26	0.018	0.103	0.25					0	1
100-200-06-006	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.016	0.093	0.156			0.438		0	1
100-200-06-007	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.016	0.098	0.156			0.438		0	1
100-200-06-008	0.375	0.34	0.395	3	1.125	0.46	0.4	0.26	0.012	0.103	0.188			0.75	0.375	0	1
100-200-06-009	0.375	0.34	0.395	2	0.875	0.46	0.4	0.26	0.012	0.103	0.188			0.5		0	1
100-200-06-010	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.103	0.172			0.406		0	1
100-200-06-011	0.375	0.34	0.395	1	0.375	0.46	0.4	0.26	0.012	0.093	0.188					0	1
100-200-06-012	0.375	0.34	0.395	2	0.5	0.46	0.4	0.26	0.012	0.093	0.125			0.25		0	1
100-200-06-013	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.093	0.156			0.437		0	1
100-200-06-014	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.103	0.156	0.23	0.23	0.438		2	2
100-200-06-015	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.093	0.156	0.23	0.23	0.437		2	2
100-200-06-016	0.375	0.34	0.395	2	0.375	0.46	0.4	0.26	0.012	0.069	0.063			0.25		0	1
100-200-06-017	0.375	0.34	0.395	2	1.125	0.46	0.4	0.26	0.012	0.103	0.187	0.54		0.75		1	2
100-200-06-018	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.103	0.15	0.23	0.22	0.45		2	2
100-200-06-019	0.375	0.34	0.395	1	0.438	0.46	0.41	0.25	0.02	0.128	0.219					0	1
100-200-06-020	0.375	0.34	0.395	1	0.375	0.46	0.4	0.26	0.012	0.144	0.187					0	1
100-200-06-021	0.375	0.34	0.395	3	1.125	0.46	0.4	0.26	0.012	0.093	0.188			0.75	0.375	0	1
100-200-06-022	0.375	0.34	0.395	2	1.125	0.46	0.4	0.26	0.012	0.103	0.188			0.75		0	1
100-200-06-023	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.103	0.15			0.45		0	1
100-200-06-024	0.375	0.34	0.395	1	0.312	0.46	0.4	0.26	0.012	0.093	0.156					0	1

Note: All dimensions are with clip secured to flat surface as normally mounted with component of nominal diameter in place.



Spring Clips

Material: Spring Steel - ASTM-A684

Standard Plating: Cadmium-Yellow Chromate AMS QQ-P-416 CLASS 2 TYPE II

Other Finishes Available: www.atlee.com/wp-content/uploads/docs/finishes.pdf




Figure 1. Figure 2.

Part #	Nom Dia	Min Dia	Max Dia	Holes	U +/- .010	A +/- .020	B +/- .010	C +/- .020	W +/- .003	V +/- .003	S +/- .010	X +/- .020	X +/- .020	T +/- .005	T1 +/- .005	Slots	Figure
100-200-06-025	0.375	0.34	0.395	2	0.625	0.46	0.4	0.26	0.016	0.096	0.156			0.312		0	1
100-200-06-026	0.375	0.34	0.395	1	0.375	0.46	0.4	0.26	0.012	0.103	0.188					0	1
100-200-06-027	0.375	0.34	0.395	3	2	0.46	0.4	0.25	0.012	0.103	0.25			1.5	0.75	0	1
100-200-06-028	0.375	0.34	0.395	2	0.5	0.46	0.4	0.26	0.018	0.094	0.125			0.25		0	1
100-200-06-087	0.375	0.34	0.395	2	0.75	0.46	0.41	0.26	0.02	0.128	0.125			0.5		0	1
100-200-06-088	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.103	0.171	0.36		0.406		1	2
100-200-06-089	0.375	0.34	0.395	3	1.5	0.46	0.4	0.25	0.01	0.103	0.188			1.125	0.562	0	1
100-200-06-090	0.375	0.34	0.395	2	1	0.46	0.4	0.26	0.016	0.103	0.2			0.6		0	1
100-200-06-091	0.375	0.34	0.395	2	0.5	0.46	0.4	0.26	0.016	0.103	0.1			0.3		0	1
100-200-06-092	0.375	0.34	0.395	2	0.6	0.46	0.4	0.26	0.016	0.103	0.15			0.3		0	1
100-200-06-093	0.375	0.34	0.395	2	1.125	0.46	0.4	0.26	0.012	0.115	0.313	0.35	0.35	0.5		2	2
100-200-06-094	0.375	0.34	0.395	2	0.781	0.46	0.4	0.26	0.012	0.103	0.187			0.406		0	1
100-200-06-095	0.375	0.34	0.395	2	0.875	0.46	0.4	0.26	0.012	0.093	0.187			0.5		0	1
100-200-06-096	0.375	0.34	0.395	3	1.188	0.46	0.4	0.26	0.012	0.093	0.187	0.38	0.38	0.813	0.406	2	2
100-200-06-098	0.375	0.34	0.395	2	0.75	0.46	0.4	0.26	0.012	0.093	0.171	0.36		0.406		1	2
100-200-06-099	0.375	0.34	0.395	1	0.375	0.46	0.4	0.26	0.012	0.115	0.187					0	1

Note: All dimensions are with clip secured to flat surface as normally mounted with component of nominal diameter in place.